



- 
- 

- 

- CATV

- 

- EDFA DWDM

- T  GR-1209-CORE

- T  GR-1221-CORE

		C L	1310 40      1310 40&1550 40
		1/99 50/50	
		SMF-28 +	
	B	>50	
	B	>55	
	B	<0.1	
		-10 +70	
		-40 +85	


	T <sub>IL</sub>	S <sub>IL</sub>	T <sub>IL</sub>	S <sub>IL</sub>	T <sub>IL</sub>	S <sub>IL</sub>
1/99	20.8	0.25	20.8	0.25	21.0	0.25
2/98	17.8	0.30	17.8	0.30	17.9	0.30
3/97	16.0	0.35	16.0	0.35	16.0	0.35
5/95	13.8	0.45	13.8	0.45	14.0	0.45
10/90	10.8	0.7	10.8	0.7	10.9	0.7
15/85	8.9	1.0	8.9	1.0	9.0	1.1
20/80	7.7	1.3	7.7	1.3	7.7	1.3
25/75	6.7	1.6	6.7	1.6	6.7	1.7
30/70	5.8	1.9	5.8	1.9	5.8	2.0
33/67	5.4	2.1	5.4	2.1	5.4	2.1
35/65	5.2	2.3	5.2	2.3	5.2	2.3
40/60	4.6	2.7	4.6	2.7	4.6	2.7
45/55	4.0	3.1	4.0	3.1	4.0	3.1
50/50	3.5	3.5	3.5	3.5	3.5	3.5

( )	3 48	3 55	100 80 7.2	100 80 10	130 90 15
( )	SST T	SST T	60 76.2 4 3.0	94 74 4 3.5	124 84 4 3.5

( )	90 16 9	130 90 14	133.5 96 18	150 110 19
( )	49.9 9.3 2 3.0	60 87 4 3.0	128.5 90 4 3.0	145 105 4 3.5

( )	129 158 28 1U	129 158 58 2U	482 230 44	482 202 88
-----	---------------	---------------	------------	------------

WBC-□-□-□-□-□-□-□



P : A,B,C,D,E,F,G,J,M,LGX,11,12

C FC,SC,LC,MU/PC,UPC,APC

F L 00: 1:1

F D 00: 025: 0.25

09: 0.9 ; 20: 2.0 ; 30: 3.0

R 01:1/99 02:2/98 50:50/50

W : 1310:1310 ; 1550:1550 ;

135:1310&1550 ; 1310/1490/1550:1310&1490&1550

P 12 1 2 22:2 2